



# FARM **ATV**




[www.tunwal.com](http://www.tunwal.com)

# ELECTRIC FARM ATV

## BS50DU-2WD-1.6



- Silent
- Ease of driving
- Easy to maintain
- Zero pollution, environment-friendly
- Direct power output and higher energy utilization



## Specifications

| Battery type                    | Lithium battery             | Lead acid battery           |
|---------------------------------|-----------------------------|-----------------------------|
| Battery Model                   | 72V150AH                    | 72V83AH                     |
| Rated power                     | 5.0KW                       | 5.0KW                       |
| Max. Power                      | 11.0KW                      | 11.0KW                      |
| Max.Torque                      | 70N.m                       | 70N.m                       |
| Charging                        | 220V AC                     | 220V AC                     |
| Starting System                 | Electric start              | Electric start              |
| Drive type                      | rear drive                  | rear drive                  |
| Meter                           | LCD meter                   | LCD meter                   |
| Direction control               | handle tube                 | handle tube                 |
| Tire type                       | Tubeless                    | Tubeless                    |
| Tire Load Index                 | 6PR                         | 6PR                         |
| Trumpet                         | Front horn + reversing horn | Front horn + reversing horn |
| Battery Type                    | Maintenance-free battery    | Maintenance-free battery    |
| Rated load(kg)                  | 500kg                       | 500kg                       |
| Cargo Box Size (LxWxH)          | 1600×1200×510mm             | 1600×1200×510mm             |
| Dimensions (LxWxH)              | 3130×1200×1450mm            | 3130×1200×1450mm            |
| Ground clearance                | 170 ± 10mm                  | 170 ± 10mm                  |
| Package                         | Wooden box packed           | Wooden box packed           |
| Packing dimesions of wooden box | 2900×1220×1000mm            | 2900×1220×1000mm            |
| Gross weight                    | 650KG                       | 500KG                       |

# GASOLINE FARM ATV

## BS300U-2/4WD-1.6



- Ease of driving
- Easy to maintain
- Strong carrying capacity
- Good off-road performance, suitable for driving on various terrains



### Specifications

|                        |   |   |
|------------------------|---|---|
| Engine Model           | ZSCG300                                     | ZSCG300                                     |
| Cylinder               | Single                                      | Single                                      |
| Displacement           | 275cc                                       | 275cc                                       |
| Max. Power             | 12.5kW/6500rpm                              | 12.5kW/6500rpm                              |
| Max.Torque             | 21N.m/4500rpm                               | 21N.m/4500rpm                               |
| Engine Type            | 4-stroke, water-cooled, inclined, lower cam | 4-stroke, water-cooled, inclined, lower cam |
| Gearbox type           | Five shifts                                 | Five shifts                                 |
| Starting System        | Electric start                              | Electric start                              |
| Drive type             | rear drive                                  | rear drive                                  |
| Meter                  | LCD meter                                   | LCD meter                                   |
| Fuel                   | 90# and above gasoline                      | 90# and above gasoline                      |
| Direction control      | handle tube                                 | handle tube                                 |
| Tire type              | Tubeless                                    | Tubeless                                    |
| Tire Load Index        | 6PR   | 6PR   |
| Trumpet                | Front horn + reversing horn                 | Front horn + reversing horn                 |
| Battery Type           | Maintenance-free battery                    | Maintenance-free battery                    |
| Rated load(kg)         | 500kg                                       | 500kg                                       |
| Cargo Box Size (LxWxH) | 1600×1200×510mm                             | 1600×1200×510mm                             |
| Dimensions (LxWxH)     | 3130×1200×1450mm                            | 3130×1200×1450mm                            |
| Package                | Wooden box packed                           | Wooden box packed                           |

# FARM ATV

Working with different tools




+

+

+




A



B







1450mm



1200mm

*Your Power, We Can*

## Tunwal E Vehicle (india) Private Limited

Address : 502, 5th Floor, Rama Icon Sarasbaug,  
Sadashiv Peth, Pune, Maharashtra (India) 411030.

E-mail: [www.tunwal.com](http://www.tunwal.com)